

Dimout thermo



schwer brennbar nach /
flame retardant according to:

EN 13773
ÖNORM A3800
DIN 4102 - B1
CLASSE UNO
IMO - PART 7
BS5867-TYPE B+C



Abdunkelung / darkening: 99%
(EN 14501)

Achtung: das menschliche Auge empfindet hellere Farben als lichtdurchlässiger.
Attention: the human eye perceives lighter colours as more permeable to light.



Schallabsorberklasse /
sound absorption class : C
(EN ISO 11654)



Schallabsorptionsgrad /
noise reduction coefficient-NRC : 0,80
(ASTM C423)



energiesparend und umweltfreundlich



schirmt bis zu 55% der einstrahlenden Sonnenenergie ab
spart ca. 15% der Heizkosten

- spart energie
- ist unempfindlich gegenüber verschmutzungen durch putzmittel, fliegenkot, wasserflecken, etc
- schützt vor aggressiver sonneneinstrahlung und uv-strahlung
- dient als sicht- und blendeschutz
- sorgt für kontrastmilderung bei bildschirmplätzen
- waschbar (60°C)
- sorgt für eine heizkostensparnis von bis zu 15% (geprüft durch das Fraunhofer Institut für Bautechnik)
- schirmt bis zu 55% der einstrahlenden sonnenenergie ab (geprüft durch das stfi)
- sorgt für thermische raumbehaglichkeit

energy saving and eco-friendly

provides a shield for up to 55% of the heat generated by sunshine
saves about 15% of overall heating costs

- saves energy
- resists to dirt, detergents, insects, water stains etc
- provides protection from excessive sunshine and UV radiation
- protects against glare
- reduces sharp contrasts at computer work stations
- is washable (60°C)
- can save up to 15% of the heating costs (as measured by the Fraunhofer Institute)
- reflects up to 55% of incoming solar energy (as tested by the stfi)
- contributes to home comfort all around the year

Dimout Thermo FR



englisch dekora
vienna

E3733-E3749/150

Breite/Höhe

ca. 150 cm

Gewicht

250 g/m²

Material

PES FR 100%

Pflegeanleitung



E3733-E3749/150



E3733/150



E3734/150



E3735/150



E3736/150



E3737/150



E3738/150



E3739/150



E3740/150



E3741/150



E3742/150



E3743/150



E3744/150



E3745/150



E3746/150



E3747/150



E3748/150



E3749/150